

Auto



Y421000

10 Ton Long Reach Trolley Jack
(Hydraulic)



Model: Y421000

Product: 10 Ton long reach trolley jack

Description: The Winntec Long Chassis Jacks are constructed for heavy-duty lifting. An automatic overload safety valve, efficient foot-operated pump and swivel castors come as standard.

Winntec are an established and respected manufacturer, developer and supplier of quality, efficient and extremely reliable garage equipment - suitable for a vast range of applications.

Features:	Benefits:
10-Ton Capacity	This trolley jack is capable of lifting heavier vehicles and loads, up to 10 tons, making it suitable for larger trucks, buses, industrial machinery, and other heavy equipment.
Long Reach	The long reach allows the jack to access tight or hard-to-reach areas, making it particularly useful for vehicles with high ground clearance.
Hydraulic Operation	The hydraulic system provides precise and controlled lifting and lowering, and it requires minimal physical effort to operate, thanks to the foot pump.
Wheels and Casters	Trolley jacks have wheels that allow for easy movement and positioning, making them more versatile and convenient to use in various work environments.
Saddle and Lifting Pad	Includes a saddle and lifting pad, ensuring a stable and secure contact point with the load. Some models may have adjustable saddle heights for added versatility.
Foot operated pump	The foot-operated pump eliminates the need for manual hand pumping, reducing user fatigue and making the lifting process more efficient.
Handle for Maneuverability	A long handle or lever is used to pump the hydraulic fluid and lift the load, providing added leverage for lifting heavy loads. The inclusion of a handle makes it easier to move and position the trolley jack, enhancing its maneuverability and user control.
Easy and simple to use	You just wheel it under your vehicle to the safest lifting point and then activate the lifting mechanism by pumping the handle socket with an attached handle. A hydraulic jack is easy to use and requires little physical effort to produce the tremendous lifting force that can safely raise your car off the ground.
Easy to Maneuver	Comes equipped with wheels, making it easier to position the jack under the vehicle or move it around the workshop.

Warranty terms


Stable Lifting	Hydraulic trolley jacks provide stable and secure lifting, reducing the risk of accidents and injuries during heavy lifting tasks.
Solid and Robust	Built with steel, to ensure durability and the ability to withstand heavy loads.
Built-in Pump Mechanism	The jack may feature a built-in pump or lever for easy and efficient lifting of heavy load
Premium European design	Recognizing the demand for high performance work shop products, Winnotec sourced the best quality components and developed a range of premium work shop equipment which offers excellent value for money. Choosing Winnotec means choosing certainty in terms of quality, functionality and after sales service. It's the experience which makes the difference !
Safety Features	Overload protection to prevent overloading and a release valve for controlled lowering of the load, enhancing safety during use.
Accessibility	The long reach feature enables users to access components or perform maintenance tasks that would be challenging to reach with a standard jack.
	Versatility: A 10-ton capacity makes this type of trolley jack versatile, suitable for a wide range of heavy-duty vehicles and equipment.
	Efficiency: The hydraulic system and high lifting capacity contribute to the jack's efficiency, allowing for quick and effective lifting.
	Accessibility: The long reach feature allows for better accessibility to lifting points that may be challenging to reach with standard jacks.
	Maneuverability: The handle and wheels enhance the jack's maneuverability, making it easier to position and use in different locations.
	Durability: The durable construction ensures that the jack can withstand the demands of heavy-duty use in industrial or commercial settings.
	Enhanced Safety: The inclusion of safety features adds an extra layer of protection, reducing the risk of accidents or damage during operation.
Training available	Technicians can be professionally trained to use the equipment and get the maximum benefit from it.
1 year warranty	The machine will be repaired if there are any factory faults and can be replaced if required.
Spares available	Should you have a breakdown you will not have to wait for your equipment to be repaired. If there is anything we don't have, we fly it in directly from the Suppliers.

Important notice!

- Trolley jacks are not a long-term support to lift vehicles.
- Jack stands/trestles to be used with trolley jacks as they are designed to hold weight of the vehicle for extended periods - as per SANS71 & Driven Machinery ACT.
- The load must be supported by a load bearing structure.



Technical information	
Min height	160mm
Max height	680mm
Width	485mm
Length	1635mm
Height	1355mm
Weight	145kg



Colors and designs may differ

10 Keymax Park, 1006 Ergon road, Lyttelton Manor, Gauteng